

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	SODIUM NITRITE
CAS-No.	7632-00-0
Product code	AR1175, AR1445

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Chemical for analysis and production.
-----------------	---------------------------------------

1.3 Details of the supplier of the safety data sheet

Company	RCI LABSCAN LIMITED. 24 Rama 1 Road, Pathumwan, Bangkok 10330 Thailand
Telephone number	(662) 613-7911-4
Fax number	(662) 613-7915

1.4 Emergency Telephone Number

Emergency phone	(662) 613-7911-4
-----------------	------------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 3), H272
 Acute toxicity, Oral (Category 3), H301
 Eye irritation (Category 2), H319
 Acute aquatic toxicity (Category 1), H400
 For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word

Danger

Hazard statement(s)

H272	May intensify fire; oxidizer.
H301	Toxic if swallowed.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.

Precautionary statement(s)

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P220	Keep away from clothing and other combustible materials.
P264	Wash hand thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

P301 + P316	IF SWALLOWED: Get emergency medical help immediately.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P330	Rinse mouth.
P337 + P317	If eye irritation persists: Get medical help.
P391	Collect spillage.
P405	Store locked up.

2.3 Other hazards None

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms Diazotizing salts, Nitrous acid sodium salt

CAS-No	EC-No	EC-Index-No	Formula	Molecular Weight	Weight %
7632-00-0	231-555-9	007-010-00-4	NaNO ₂	69.00 g/mol	<=100

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component	Concentration	Classification
Sodium nitrite		
CAS-No 7632-00-0 EC-No 231-555-9 EC-Index-No 007-010-00-4	<=100%	Oxidizing solids (Category 3), H272 Acute toxicity, Oral (Category 3), H301 Eye irritation (Category 2), H319 Acute aquatic toxicity (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Move to fresh air in case of accidental inhalation of dust.
Skin contact	Remove contaminated clothing and wash affected skin with soap and water.
Eye contact	If the substance has got into the eyes, immediately wash out with plenty of water at least 15 minutes. Obtain medical attention.
Ingestion	Rinse mouth. After swallowing make victim drink water (two glasses at the most), call in physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in section 2.2 and section 11

4.3 Indication of any immediate medical attention and special treatment needed

After swallowing: Subsequently administer: Activate charcoal 20-40 g in 10% slurry.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

In adaption to materials stored in the immediate neighborhood.

5.2 Special hazards arising from the substance or mixture

Non-combustible . Fire-promoting. Keep away from combustible materials. Ambient fire may liberate hazardous vapors. The following may develop in event of fire: nitrogen oxides, nitrous gas, sodium oxides.

5.3 Advice for firefighters

Do not stay in dangerous zone without self-contained breathing apparatus. Avoid contact with skin and wear suitable protective clothing.

5.4 Further information

Contain escaping vapors with water. Prevent fire-fighting water from entering surface water or ground water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid generation of dusts; do not inhale dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protective equipment see **Section 8**.

6.2 Environmental precautions

Do not allow to enter drinking water and sewerage system.

6.3 Methods and materials for containment and cleaning up

Carefully sweep up, gather and remove. Avoid generation of dusts. Keep in suitable, closed containers for disposal. Clean up affected area.

6.4 Reference to other sections

For disposal see **Section 13**.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of good ventilation in the working area. Do not leave container open. Avoid contact with organic
Avoid spillage. Avoid rising dust.

7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed at room temperature in a dry, cool and well-ventilated place. Keep out of direct sunlight and away from heat, sources of ignition, water, moisture and incompatible materials.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

The product should only be used in ventilation hoods and fans.

Individual protection measures (Personal protective equipment, PPE)

Eye/face protection

Goggles giving complete protection to eyes.

Skin protection

Chemical resistant apron / flame retardant antistatic protective clothing, heavy duty work shoes.
Handle with gloves

- Full contact wears gloves from nitrile rubber material.
- Splash contact wears gloves from nitrile rubber material.

The select protective gloves have to satisfy the specifications of EU Directive 89/686 EEC and standard EN 374 derived from it.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Required when dusts are generated filter P2 (EN 143) or use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Environmental exposure controls

Prevent liquid entering sewers, basements and workpits.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Form	Solid
: Color	White
Odour	Odorless
Odour Threshold	Not Available
pH	9 at 100 g/l H ₂ O at 20°C
Melting point/range	280 °C (decomposition)
Boiling point/range	Not Available
Flash point	Not Available
Evaporation rate	Not Available
Flammability (solid, gas)	Not Available
Explosion limits: lower	Not Available
upper	Not Available
Vapor Pressure	Not Available
Relative Vapor Density	Not Available
Density	2.1 g/cm ³ at 20°C
Bulk density:	1200 kg/m ³
Water solubility	820 g/l at 20°C
Partition coefficient (n-octanol/water)	log Pow: -3.7
Auto-Ignition temperature	Not Available
Decomposition Temperature	> 320 °C
Viscosity	Not Available
Explosive properties	Not Explosive
Oxidizing properties	The substance or mixture is classified as oxidizing with the category 3.

SECTION 10: Stability and reactivity

10.1 Reactivity

Hygroscopic.

10.2 Chemical stability

Sensitivity to light. Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion in contact with ammonia, aluminium (powder), combustible substances, substances which can be oxidized, strong reducing agents, aminoguanidine salts, ammonium salts / heat, antimony sulphide, cyanides (heat), diene, urea, hydrazine, potassium hexacyanoferrate (II), potassium hexacyanoferrate (III), sodium amide, sodium sulphamate, sodium sulphide + sodium nitrate, sodium thiocyanate, sodium thiosulphate (heat), phenol, phthalic acid, phthalic anhydride, hydrochloric acid (heat, rare).

The substance can react dangerously with acids, 1,3-butadiene, ethylene oxide, wood, hydroxylamine hydrochloride, sodium disulphite, sodium nitroferricyanide / heat, paper / heat / light.

Reaction with nitrosating agents (nitrites, nitrous acid, nitrous gases) can release cancerogenic nitrosamines.

10.4 Conditions to avoid

Heating

10.5 Incompatible materials

See **Section 10.3**.

10.6 Hazardous decomposition products

Nitrogen oxides, nitrous gas, sodium oxides (Hazardous decomposition products from under fire condition).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD₅₀ (oral, rat): 180 mg/kg.

LD₅₀ (inhale, rat): 55 mg/l/4h.

Acute oral toxicity

Symptoms: nausea, narcosis, cyanosis.

Acute inhalation toxicity

Slight irritations.

Skin corrosion/irritation

No irritations.

Serious eye damage/eye irritation

Slight irritations.

Respiratory or skin sensitization

Not Available

Germ cell mutagenicity

Not Available

Carcinogenicity

Noncarcinogenic in animal experiments.

Reproductive toxicity

No impairment of reproductive performance in animal experiments.

Teratogenicity

No teratogenic effect in animal experiments.

Specific target organ toxicity (STOT) - single exposure

Not Available

Specific target organ toxicity (STOT) - repeated exposure

Not Available

Aspiration hazard

Not Available

Further information

After absorption of large quantities: vomiting, unconsciousness, drop in blood pressure, depressed respiration, collapse methaemoglobinaemia.

The product should be handled with the care usual when dealing with chemicals.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish	LC ₅₀ Oncorhynchus mykiss: 0.09 - 0.13 mg/l/96h.
Toxicity to daphnia and other aquatic invertebrates	EC ₅₀ Daphnia magna: 12.5 - 100 mg/l /48h.
Toxicity to bacteria	EC ₅ Ps.putida : 123 mg/l/16h.

12.2 Persistence and degradability

Biodegradability	Method for the determination of biodegradability is not applicable to inorganic substance.
------------------	--

12.3 Bioaccumulative potential

Partition coefficient (n-octanol/water)	log Pow: -3.7
	No bioaccumulation is to be expected (log P o/w <1).

12.4 Mobility in soil

Not Available

12.5 Other adverse effects

Do not allow to enter waters, waste water or soil.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

There are no uniform EC Regulations for the disposal of chemicals or residues. Chemical residues generally count as special waste. The disposal of the latter is regulated in the EC member countries through corresponding law and regulations. We recommend that you contact either the authorities in charge or approved waste disposal companies which will advise you on how to dispose of special waste or burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

Contaminated packaging

Disposal in compliance with official regulations. Handle contaminated packaging as hazardous waste in the same way of the substance itself. If not officially specified differently, non-contaminated packaging may be treated like household waste or recycled.

SECTION 14: Transport information**Land Transport (ADR/RID)**

UN Number	1500
UN proper shipping name	SODIUM NITRITE
Transport hazard class(es)	5.1 (6.1)
Packing group	III
Environmental hazards	Yes
Special precautions for user	Yes

Sea transport (IMDG)

UN Number	1500
-----------	------

UN proper shipping name	SODIUM NITRITE
Transport hazard class(es)	5.1 (6.1)
Packing group	III
Marine pollutant	Yes
Special precautions for user	Yes
EmS	F-A S-Q

Air transport (IATA)

UN Number	1500
UN proper shipping name	SODIUM NITRITE
Transport hazard class(es)	5.1 (6.1)
Packing group	III
Environmental hazards	Yes
Special precautions for user	No

River transport (AND/ADNR)

(Not examined)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Not Available

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

SECTION 16: Other information**Full text of H-Statements referred to under sections 2 and 3**

H272	May intensify fire; oxidizer.
H301	Toxic if swallowed.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.

Recommended restrictions

Take notice of labels and safety data sheets for the working.

Reference

Globally Harmonized System of Classification and Labelling of Chemicals (GHS).

Labelling according to EC Directives 67/548 EEC and Regulation (EC) No 1272/2008.

Transportation information according to Recommendations on the Transport of Dangerous Goods, Model Regulations. Twelfth revised edition. United Nations.

Institute for Occupational Safety and Health of the German Social Accident Insurance in Sankt Augustin/Germany,

Source: IFA for Databases on hazardous substances (GESTIS).

Further information

Contact to RCI Labscan Limited.

Revision Date

08/02/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process unless specified in the text.