

Certificate of Analysis

Product	Acetone	Batch No.	: 21 05 0160
Grade	Extropure	Manufacturing date	: 22/05/2021
Code No.	XP1003	Best before	: 05/2023

Items	Descriptions	Specifications	Test Results
1	Assay (by GC.)	99.9% min.	99.9%
2	Color (APHA)	10 max.	< 10
3	Water (by Coulometry)	0.3% max.	0.24%
4	Acidity (μ Eq./g.)	0.3 max.	< 0.3
5	Alkalinity (μ Eq./g.)	0.5 max.	< 0.5
6	Solubility in water	Passes test	Passes test
7	Residue on Evaporation	3 ppm max.	1.2 ppm
8	Chloride (Cl)	0.2 ppm max.	< 0.2 ppm
9	Phosphate (PO ₄)	0.1 ppm max.	< 0.1 ppm
10	Heavy metals (as Pb)	100 ppb max.	< 100 ppb
11	Aluminium (Al)	50 ppb max.	< 50 ppb
12	Arsenic and Antimony (as As)	10 ppb max.	< 10 ppb
13	Barium (Ba)	20 ppb max.	< 20 ppb
14	Boron (B)	20 ppb max.	< 20 ppb
15	Cadmium (Cd)	20 ppb max.	< 20 ppb
16	Calcium (Ca)	50 ppb max.	< 50 ppb
17	Chromium (Cr)	20 ppb max.	< 20 ppb
18	Cobalt (Co)	20 ppb max.	< 20 ppb
19	Copper (Cu)	10 ppb max.	< 10 ppb
20	Gallium (Ga)	50 ppb max.	< 50 ppb
21	Germanium (Ge)	50 ppb max.	< 50 ppb
22	Gold (Au)	20 ppb max.	< 20 ppb
23	Iron (Fe)	20 ppb max.	< 20 ppb
24	Lead (Pb)	20 ppb max.	< 20 ppb
25	Lithium (Li)	50 ppb max.	< 50 ppb
26	Magnesium (Mg)	20 ppb max.	< 20 ppb
27	Manganese (Mn)	10 ppb max.	< 10 ppb
28	Nickel (Ni)	10 ppb max.	< 10 ppb
29	Potassium (K)	50 ppb max.	< 50 ppb
30	Silicon (Si)	50 ppb max.	< 50 ppb
31	Silver (Ag)	20 ppb max.	< 20 ppb
32	Sodium (Na)	50 ppb max.	< 50 ppb
33	Strontium (Sr)	20 ppb max.	< 20 ppb
34	Tin (Sn)	50 ppb max.	< 50 ppb
35	Titanium (Ti)	20 ppb max.	< 20 ppb
36	Zinc (Zn)	50 ppb max.	< 50 ppb
37	Silicone oil	Free	Not detectable
38	DOP	Free	Not detectable
39	Amide	Free	Not detectable
40	Particle/ml		
	0.5 μ m and greater	65 max.	10
	1.0 μ m and greater	8 max.	1

This is to certify the above batch has been tested and complies with this specification.

Ladaphan

Chemist

Achun

Technical Manager