

Certificate of Analysis

Product	Hexane Fraction	Batch No.	: 21 05 0465
Grade	HPLC	Manufacturing date	: 31/05/2021
Code No.	LC1088	Best before	: 05/2025

Items	Descriptions	Specifications	Test Results
1	Assay (by GC.)	45.0% min.	68.0%
2	Appearance	Clear and colorless liquid	Clear and colorless liquid
3	Identity (IR)	Passes test	Passes test
4	Color (APHA)	10 max.	< 10
5	Water (by Coulometry)	0.01% max.	0.006%
6	Acidity (mEq./g.)	0.0005 max.	< 0.0005
7	Residue on Evaporation	0.0003% max.	< 0.0003%
8	UV Transmission Levels (%T)		
	250 nm	99% min.	99.9%
	240 nm	98% min.	99.9%
	230 nm	95% min.	99.1%
	220 nm	80% min.	96.9%
	210 nm	60% min.	89.1%
9	Fluorescence (as quinine)		
	at 254 nm	1 ppb max.	< 1 ppb
	at 365 nm	1 ppb max.	< 1 ppb

Product passed through 0.2 micron final filter.

This is to certify the above batch has been tested and complies with this specification.

Ladaphan

Chemist

Achan

Technical Manager