

Certificate of Analysis

Product	n-Hexane 99%	Batch No.	: 21 06 0011
Grade	HPLC	Manufacturing date	: 17/06/2021
Code No.	LC1085	Best before	: 06/2025

Items	Descriptions	Specifications	Test Results
1	Assay (by GC.)	99.0% min.	99.2%
2	Appearance	Clear and colorless liquid	Clear and colorless liquid
3	Identity (IR)	Passes test	Passes test
4	Color (APHA)	10 max.	< 10
5	Water (by Coulometry)	0.01% max.	0.007%
6	Acidity (mEq./g.)	0.0002 max.	< 0.0002
7	Alkalinity (mEq./g.)	0.0002 max.	< 0.0002
8	Residue on Evaporation	0.0001% max.	< 0.0001%
9	Substances darkened by sulfuric acid	Passes test	Passes test
10	UV Transmission Levels (%T)		
	240 nm	99% min.	99.8%
	230 nm	98% min.	99.3%
	220 nm	90% min.	98.1%
	210 nm	70% min.	94.0%
	200 nm	50% min.	83.6%
11	Fluorescence (as quinine)		
	at 254 nm	1 ppb max.	< 1 ppb
	at 365 nm	1 ppb max.	< 1 ppb

Product passed through 0.2 micron final filter.

This is to certify the above batch has been tested and complies with this specification.

Ladaphan

Chemist

Achan

Technical Manager